

**GIRARD-PERREGAUX**



USER MANUAL

LA ESMERALDA TOURBILLON "A SECRET"  
ETERNITY EDITION

# INSTRUCTION FOR USE

## WINDING

The self-winding system keeps your Tourbillon fully wound if you wear it at least 14 hours a day. If your watch has not been worn for some time, rewind it manually.

Crown in two positions:

0. Manual-winding position (crown not pulled out).
1. Time setting position (crown fully pulled out).

Manual-winding:

To wind, turn the crown backward and forward when it is in position 0). When fully wound, your watch has a power reserve of minimum 50 hours.

**Warning: do not force the crown once the resistance increases as this could damage the movement.**

## SETTING THE TIME

1. Pull your crown out to the time setting position 1).
2. Turn your crown until the hour and minute hands are set 5 minutes before the exact time.
3. To set the seconds hand, first let the tourbillon cage turn until it reaches the 60-seconds mark, then hold it there by turning the crown very slightly in a counterclockwise direction. At the time signal, move the minute hand forward until it has reached the exact time; then push the crown back in position 0). Your watch will restart immediately.


**Warning: after making any setting, always return the crown to its original position, to preserve the water resistance of your watch and prevent any damage to the mechanism. To do so, press the crown against the case in position 0).**

## OPENING THE COVER

La Esmeralda Tourbillon "A Secret" Eternity Edition is designed like a "secret" watch with a cover protecting the back of the watch.

1. To unlock the cover, press on the crown pusher in position 0). The cover opens automatically at an angle of approximately 85 degrees.
2. To close the cover, push it back against the caseback until you hear it click into place.

**Warning: do not force the cover opening to more than an 85-degree angle to prevent any damage to the opening mechanism.**



## FUNCTIONS

a | Hours  
 b | Minutes  
 c | Tourbillon  
 d | Small seconds on the tourbillon

A | Crown pusher

## GIRARD-PERREGAUX GP09600

### SELF-WINDING MECHANICAL MOVEMENT

Diameter: 32.00 mm (14<sup>1/4</sup>'''')  
 Height: 7.68 mm  
 Frequency: 21,600 Vib/h - (3 Hz)  
 Jewels: 31  
 Power reserve: minimum 50 hours  
 Functions: tourbillon, hours, minutes, small seconds on the tourbillon

## CASE

Diameter: 43.00 mm  
 Crystal: sapphire anti-reflective 'box'  
 Case-back: anti-reflective sapphire crystal  
 Water resistance: 30 meters (3 ATM)

